

Long Life Sealed Spherical Roller Bearings for Conveyor Pulley in Mining Industry



BEARING SERIES DESIGNED FOR MINING MACHINERY

Spherical Roller Bearings with Detachable Seal (SSRB)

Durability and reliability are of paramount importance to bearings used in mining and quarrying conveyor applications, where failure can impact productivity of the entire operation. For the arduous and highly contaminated operating conditions that typically prevail, NSK has developed a spherical roller bearing with a detachable seal. These long-life bearings provide operators of conveyor systems the benefits of increased uptime and a higher degree of reliable performance.



PROVEN BENEFITS

- › NSK's tough steel has longer service life in contaminated operating environments
- › High performance seal design, including characteristics to compensate for bearing misalignment
- › Removable seal permits measurement of internal clearance during installation
- › Easy, bolt-fastened installation of seal
- › Dimensionally interchangeable with conventional spherical roller bearings

Combining the tough steel material technology with an advanced and easy-to-install seal, NSK delivered a high capacity and high performing solution to contaminant-related bearing failures in conveyor applications.

NSK MATERIAL STRENGTH

Microstructure (Hard and fine-grained carbon nitrides by Tough technology)

Fine grained carbon nitrides

Tough Steel

Carburized Steel

High Hardness (Tough Steel > Carburized Steel)

Hard contaminant particle gets pressed between rolling element and raceway.

Dent left in raceway surface has raised edges that multiply stress levels and decrease fatigue life.


Tough Steel

Standard Steel

DESIGN FEATURES

1. Bearing Boundary Dimension

SSRB features the same boundary dimension with a higher Cr value when compared with the standard unsealed bearing. It is not necessary to change the structure around the bearing.



2. Special Bearing Material & Heat Treatment


- › NSK adopts tougher steel for the inner & outer ring in order to extend bearing life and to prevent wear on the raceway under poor and severe lubrication conditions.
- › High Cr value can be obtained featuring the life extending attribute of tough steel bearing material.

3. Seal Design

- › Integral garter spring ensures high sealing performance with ability to compensate for bearing misalignment.
- › Hydrogenated nitrile butadiene rubber is used for seal material tolerating up to operating temperature of 100°C.
- › Seal lip contacts on the bearing inner ring with easy, bolt-fastened installation of the removable seal holder to the bearing outer ring.
- › NSK supplies the SSRB without packed grease featuring the ability for the end user to select and pack their own grease.



Garter Seal



NSK SSRB Reference Number	Cr (kN)	Cor (kN)	d (mm)	D (mm)	B (mm)	Speed Limit (rpm)	NSK (Standard Reference Number)
HTF120SLE226AGDD2KE4C3	480	525	120	215	58	1050	(22224EAKE4C3)
HTF130SLE226AGDD2KE4C3	565	635	130	230	64	970	(22226EAKE4C3)
HTF140SLE226AGDD2KE4C3	680	765	140	250	68	890	(22228CAMKE4C3)
HTF150SLE226AGDD2KE4C3	780	895	150	270	73	820	(22230CAMKE4C3)
HTF160SLE226AGDD2KE4C3	900	1050	160	290	80	780	(22232CAMKE4C3)
HTF170SLE316AGDD2KE4C3	915	1230	170	280	88	770	(23134CAMKE4C3)
HTF180SLE316AGDD2KE4C3	1060	1400	180	300	96	720	(23136CAMKE4C3)
HTF190SLE316AGDD2KE4C3	1190	1540	190	320	104	670	(23138CAMKE4C3)
HTF200SLE316AGDD2KE4C3	1360	1790	200	340	112	630	(23140CAMKE4C3)
HTF220SLE316AGDD2KE4C3	1570	2140	220	370	120	580	(23144CAMKE4C3)
HTF240SLE316AGDD2KE4C3	1830	2470	240	400	128	540	(23148CAMKE4C3)
HTF260SLE316AGDD2KE4C3	2210	2980	260	440	144	490	(23152CAMKE4C3)
HTF280SLE316AGDD2KE4C3	2330	3300	280	460	146	460	(23156CAMKE4C3)
HTF300SLE316AGDD2KE4C3	2770	4000	300	500	160	430	(23160CAMKE4C3)
HTF320SLE316AGDD2KE4C3	3400	4850	320	540	176	400	(23164CAMKE4C3)
HTF340SLE316AGDD2KE4C3	3850	5450	340	580	190	370	(23168CAMKE4C3)
HTF360SLE316AGDD2KE4C3	3900	5600	360	600	192	360	(23172CAMKE4C3)
HTF380SLE316AGDD2KE4C3	4000	5850	380	620	194	350	(23176CAMKE4C3)
HTF400SLE316AGDD2KE4C3	4200	6300	400	650	200	330	(23180CAMKE4C3)
HTF420SLE316AGDD2KE4C3	5250	7700	420	700	224	310	(23184CAMKE4C3)
HTF440SLE316AGDD2KE4C3	5450	8200	440	720	226	300	(23188CAMKE4C3)
STF460SLE316AGDD2KE4C3	6050	9150	460	760	240	280	(23192CAMKE4C3)
STF480SLE316AGDD2KE4C3	6550	10100	480	790	248	270	(23196CAMKE4C3)

Worldwide Sales Offices

P: Phone ☆: Head Office

NSK LTD. HEADQUARTERS, TOKYO JAPAN		
INDUSTRIAL MACHINERY BUSINESS DIVISION-HEADQUARTERS	P: +81-3-3779-7227	
AUTOMOTIVE BUSINESS DIVISION-HEADQUARTERS	P: +81-3-3779-7189	
Africa		
South Africa:		
NSK SOUTH AFRICA (PTY) LTD.		
SANDTON	P: +27-011-458-3600	
Aisia and Oceania		
Australia:		
NSK AUSTRALIA PTY. LTD.		
MELBOURNE ☆	P: +61-3-9765-4400	
SYDNEY	P: +61-2-9839-2300	
BRISBANE	P: +61-7-3347-2600	
PERTH	P: +61-8-9256-5000	
New Zealand:		
NSK NEW ZEALAND LTD.		
AUCKLAND	P: +64-9-276-4992	
China:		
NSK (SHANGHAI) TRADING CO., LTD.		
JIANGSU ☆	P: +86-512-5796-3000	
NSK (CHINA) INVESTMENT CO., LTD.		
JIANGSU ☆	P: +86-512-5796-3000	
BEIJING	P: +86-10-6590-8161	
TIAN JIN	P: +86-22-8319-5030	
CHANGCHUN	P: +86-431-8898-8682	
SHENYANG	P: +86-24-2334-2868	
DALIAN	P: +86-411-8800-8168	
NANJING	P: +86-25-8472-6671	
FUZHOU	P: +86-591-8380-1030	
WUHAN	P: +86-27-8556-9630	
QINGDAO	P: +86-532-5568-3877	
GUANGZHOU	P: +86-20-3817-7800	
CHANGSHA	P: +86-731-8571-3100	
LUOYANG	P: +86-379-6069-6188	
XI'AN	P: +86-29-8765-1896	
CHONGQING	P: +86-23-6806-5310	
CHENGDU	P: +86-28-8528-3680	
NSK CHINA SALES CO., LTD.		
JIANGSU ☆	P: +86-512-5796-3000	
NSK HONG KONG LTD.		
HONG KONG ☆	P: +852-2739-9933	
SHENZHEN	P: +86-755-25904886	
Taiwan:		
TAIWAN NSK PRECISION CO., LTD.		
TAIPEI ☆	P: +886-2-2772-3355	
TAICHUNG	P: +886-4-2708-3393	
TAINAN	P: +886-6-215-6058	
India:		
NSK BEARINGS INDIA PRIVATE LTD.		
CHENNAI ☆	P: +91-44-2847-9600	
MUMBAI	P: +91-22-2838-7787	
JAMSHEDPUR	P: +91-657-2421144	
GURGAON	P: +91-124-4838000	
Indonesia:		
PT. NSK INDONESIA		
JAKARTA	P: +62-21-252-3458	
Korea:		
NSK KOREA CO., LTD.		
SEOUL	P: +82-2-3287-0300	
Malaysia:		
NSK BEARINGS (MALAYSIA) SDN.BHD.		
SHAH ALAM ☆	P: +60-3-7803-8859	
PRAI	P: +60-4-3902275	
JOHOR BAHRU	P: +60-7-3546290	
IPOH	P: +60-5-2555000	
Philippines:		
NSK REPRESENTATIVE OFFICE		
MANILA	P: +63-2-893-9543	
Singapore:		
NSK INTERNATIONAL (SINGAPORE) PTE LTD.		
SINGAPORE	P: +65-6496-8000	
NSK SINGAPORE (PRIVATE) LTD.		
SINGAPORE	P: +65-6496-8000	
Thailand:		
NSK BEARINGS (THAILAND) CO., LTD.		
BANGKOK	P: +66-2320-2555	
Vietnam:		
NSK VIETNAM CO., LTD.		
HANOI	P: +84-24-3955-0159	
NSK REPRESENTATIVE OFFICE		
HO CHI MINH CITY	P: +84-28-3822-7907	
Europe		
United Kingdom:		
NSK EUROPE LTD. (EUROPEAN HEADQUARTERS)		
MAIDENHEAD	P: +44-1628-509-800	
NSK UK LTD.		
NEWARK	P: +44-1636-605-123	
France:		
NSK FRANCE S.A.S.		
PARIS	P: +33-1-30-57-39-39	
Germany:		
NSK DEUTSCHLAND GMBH		
DUSSELDORF ☆	P: +49-2102-4810	
STUTTGART	P: +49-711-79082-0	
WOLFSBURG	P: +49-5361-27647-10	
Italy:		
NSK ITALIA S.P.A.		
MILANO	P: +39-299-5191	
Netherlands:		
NSK EUROPEAN DISTRIBUTION CENTRE B.V.		
TILBURG	P: +31-13-4647647	
Poland:		
NSK REPRESENTATIVE OFFICE		
WARSAW	P: +48-22-645-1525	
Russia:		
NSK POLSKA SP. Z O.O.		
SAINT-PETERSBURG	P: +7-812-332-5071	
Spain:		
NSK SPAIN S.A.		
BARCELONA	P: +34-93-289-2763	
Turkey:		
NSK RULMANLARI ORTA DOGU TIC. LTD. STI.		
ISTANBUL	P: +90-216-5000-675	
United Arab Emirates:		
NSK BEARINGS GULF TRADING CO.		
DUBAI	P: +971-(0)4-804-8200	
North and South America		
United States of America:		
NSK AMERICAS, INC. (AMERICAN HEADQUARTERS)		
ANN ARBOR	P: +1-734-913-7500	
NSK CORPORATION		
ANN ARBOR	P: +1-734-913-7500	
NSK PRECISION AMERICA, INC.		
FRANKLIN ☆	P: +1-317-738-5000	
SAN JOSE	P: +1-408-944-9400	
NSK LATIN AMERICA, INC.		
MIAMI	P: +1-305-477-0605	
Canada:		
NSK CANADA INC.		
TORONTO ☆	P: +1-905-890-0740	
MONTREAL	P: +1-514-633-1220	
Argentina:		
NSK ARGENTINA SRL		
BUENOS AIRES	P: +54-11-4704-5100	
Brazil:		
NSK BRASIL LTDA.		
SUZANO ☆	P: +55-11-4744-2500	
JOINVILLE	P: +55-47-3422-2239	
Peru:		
NSK PERU S.A.C.		
LIMA	P: +51-493-4385	
Mexico:		
NSK RODAMIENTOS MEXICANA, S.A. DE C.V.		
SILAO, GUANAJUATO	P: +52-472-103-9400	

<As of December 2019>

For the latest information, please refer to the NSK website.

www.nsk.com

NSK Ltd. has a basic policy not to export any products or technology designated as controlled items by export-related laws. When exporting the products in this brochure, the laws of the exporting country must be observed. Specifications are subject to change without notice and without any obligation on the part of the manufacturer. Every care has been taken to ensure the accuracy of the data contained in this brochure, but no liability can be accepted for any loss or damage suffered through errors or omissions. We will gratefully acknowledge any additions or corrections.

For more information about NSK products, please contact: _____

