

Condition-based maintenance for critical machines





**SMART MONITORING** 

The smart measurement and processing functions built into ONEPROD **MVX** are used to collect the highly qualified information required to monitor and diagnose your most critical machinery.

With ONEPROD **MVX**, kinematic complexity and the variability of operating conditions are no longer an issue.

### SMART DESIGN

With 8 to 32 channels within the same sized instrument, ONEPROD **MVX** can receive vibration, electrical, oil or process information, and adapt to your mode of condition-based maintenance.

The system can be extended virtually to several hundred channels via communication interfaces with PLCs.





# → MIGHTY AND POWERFUL FOR COMPLEX MACHINES

# A RESPONSE TO ANY CHALLENGE

ONEPROD **MVX** can detect and capture transient sub-millisecond phenomena over 100% of the signal.

Time signals are recorded using a «pre-trigger» on all relevant channels so that the event can be analyzed retrospectively.

Its real-time processing capabilities make it possible to:

- capture and record a transient phenomenon on a turbine for subsequent analysis
- control a rolling mill based on its vibration behavior.



# MONITORING OF LOW SPEED SHAFTS

ONEPROD **MVX** offers an unrivaled solution for the monitoring of low speed shafts with a smart Shock Finder indicator.

Abnormal impacts on shafts turning at very low speeds (from just a few rpm) are detected early and fully automatically.

Real-time management of variable operating conditions enables ONEPROD **MVX** to escalate data required for analysis and allowing comparison over time.

### **ANALYSIS PRODUCTIVITY**

ONEPROD **MVX** will notify you in real time of any event requiring your intervention, by e-mail, text message or digital output.

The stored data, associated with operating conditions, is highly qualified: no false alarms!

« Reports are accessible in just a few clicks, navigating from a map of the world to a detailed view of a machine. »



#### ONEPROD MVX

A cost-effective solution to technical challenges

Wagon tipplers are a perfect example: the purpose of the one in this photo is to load boats by overturning the wagons that arrive from the mines.

They operate at variable speed, with acceleration and deceleration phases. The impacts generated by mechanical faults must be distinguished from «normal» impacts relating to their operation, and the low-energy vibrations generated by the slow-rotating parts are drowned out by the vibrations generated by other parts of the machine.

MVX features all of the tools required to reliably monitor this type of equipment.



### A CENTRALIZED SYSTEM

The data acquired by ONEPROD **MVX** is automatically stored in the ONEPROD **NEST** software platform. Analysis of and access to the condition of production sites is simple: reports are accessible in just a few clicks, navigating from a map of the world to a detailed view of a machine. Wherever measurements have come from (a **FALCON** portable instrument, an **EAGLE** online wireless sensor, or an **MVX** online cabled monitoring system), the data is accessible via the same interface from any connected computer.

« With ONEPROD MVX, kinematic complexity and the variability of operational conditions are no longer an issue. »

En-HF
FZ
F0
Kurtosis
Shock Finder

### **EASY TO DEPLOY**

ONEPROD **MVX** communicates and transfers its results in automatically and reliably to the ONEPROD **NEST** software via a secure Ethernet link.

Operators can choose to use the local cabled network, a Wi-Fi network, or over the Internet via a 3G link, for example.

## INTEGRATED INTO YOUR ENVIRONMENT

ONEPROD **MVX** can be fully integrated into your environment. Process information is retrieved directly from the PLCs, eliminating any duplication of data. The advanced indicators defined can be transmitted in order improve process management, and maintenance management is optimized thanks to an interface with the CMMS system.



War the control of th



### A UNIQUE SYSTEM WITH INFINITE CAPABILITIES

#### **SMART MONITORING**

- Real-time monitoring of one or more machines
- Storage of measurements required for analysis: the right information at the right time.
- Easy analysis of complex machines through management of operating conditions
- Early detection of faults on slow shafts with Shock Finder

#### COMMUNICATION

- Two-way communication with PLCs
- Two-way communication with CMMS
- Alerts by e-mail / text message / logic outputs
- Management of sub-optimal communication conditions (3G) for isolated machines

### **FLEXIBLE**

- · All types of sensor
- 8 to 32 channels
- Number of channels can be extended for process information using Modbus and OPC interfaces
- Option: portable version for temporary monitoring (VMS)

### **ALL IN ONE**

- · Monitoring of vibrations
- Monitoring of electrical components in addition to or instead of vibrations
- Monitoring of oil (quality, particle count)
- Correlations with process information



#### **ACOEM**

Smart monitoring, diagnosis & solutions

In today's complex and increasingly fast-moving world, it is essential to keep risks under control. ACOEM helps customers in the industrial, environmental and defence sectors make the right decisions and take the right actions:

- to ensure the productivity and reliability of industrial machines
- to prevent noise and vibration pollution
- to protect personnel, sites and vehicles in military theaters of operation
- to contribute to the development of effective, robust & noiseless products

All around the world, ACOEM's 400 employees are at the forefront of innovation in monitoring, maintenance and engineering through 01dB, ONEPROD, FIXTURLASER and METRAVIB.

For more information, visit our website at www.acoemgroup.com



info@swbplus.co.au

