





2. Cross-sections and nominal dimensions: V-belts





Quad-Power II

Raw edge, moulded notch, narrow section V-belt

		WIDTH mm	HEIGHT mm
	XPZ	10	8
	XPA	13	10
	XPB	16	13
	XPC	22	18





Super HC[®] MN

Raw edge, moulded notch, narrow section V-belt

		WIDTH mm	HEIGHT mm
	SPZ	10	8
	SPA	13	10
	SPB	16	13
	SPC	22	18






Super HC[®]

Wrapped, narrow section V-belt

		WIDTH mm	HEIGHT mm
	SPZ	10	8
	SPA	13	10
	SPB	16	13
	SPC	22	18







Hi-Power[®]

Wrapped, classical section V-belt

		WIDTH mm	HEIGHT mm
	Z	10	6
	A	13	8
	B	17	10
	C	22	12
	D	32	19

PowerBand[®]




Multiple V-belt

		WIDTH mm	HEIGHT mm	SPACING mm
	3VX	10	8	10.30
	5VX	16	13	17.50
	SPB	16	13	19.00
	SPC	22	18	25.50
	9J	10	8	10.30
	15J	16	13	17.50




Micro-V®
Multi-ribbed belt

PH
PK





1.6mm
3.56mm

		HEIGHT mm	SPACING mm
	PJ	3.6	2.34
	PL	6.4	4.70
	PM	12.5	9.40




PoweRated®
Special capacity V-belt

		HEIGHT inch	SPACING inch
	3L	3/8	7/32
	4L	1/2	5/16
	5L	21/32	3/8

Polyflex®
Polyurethane V-belt

		WIDTH mm	HEIGHT mm
	3M	3	2.3
	5M	5	3.3
	7M	7	5.3
	11M	11	7.1



Polyflex® JB™
Polyurethane multiple V-belt

		WIDTH mm	HEIGHT mm	SPACING mm
	5M-JB	5	3.3	5.3
	7M-JB	7	5.3	8.5
	11M-JB	11	7.1	13.2

3. Cross-sections and nominal dimensions: synchronous belts



Poly Chain® GT2

Polyurethane synchronous belt for low-speed, high-torque drives

		PITCH mm	TOTAL HEIGHT mm	TOOTH HEIGHT mm
	8MGT	8	5.9	3.4
	14MGT	14	10.2	6.0




PowerGrip® GT2

Synchronous belt for a wide variety of high-speed drives

		PITCH mm	TOTAL HEIGHT mm	TOOTH HEIGHT mm
	8MGT	8	5.6	3.4
	14MGT	14	10.0	6.0






PowerGrip® GT

Synchronous belt for high power transmission on compact drives

		PITCH mm	TOTAL HEIGHT mm	TOOTH HEIGHT mm
	2MR	2	1.52	0.71
	3MR	3	2.41	1.12
	5MR	5	3.81	1.92







PowerGrip® HTD®

Synchronous belt for High Torque Drives

		PITCH mm	TOTAL HEIGHT mm	TOOTH HEIGHT mm
	3M	3	2.4	1.2
	5M	5	3.8	2.1
	8M	8	6.0	3.4
	14M	14	10.0	6.0
	20M	20	13.2	8.4

PowerGrip®

Classical synchronous belt

		PITCH inch	TOTAL HEIGHT mm	TOOTH HEIGHT mm
	MXL	0.08"	1.14	0.51
	XL	1/5	2.3	1.27
	L	3/8	3.5	1.91
	H	1/2	4.0	2.29
	XH	7/8	11.4	6.35
	XXH	1 1/4	15.2	9.53