Issue date: 09-21-2016 Revision date: 09-21-2016 Version number: 1.0



# SAFETY DATA SHEET

#### 1. Identification

Product identifier No-Tox Food Grade Waterproof Chain Lubricant

Product Code 64060

Other means of identification

**Synonyms** No-Tox Waterproof Chain Lube

Product Code 64060

Recommended use of the chemical and restrictions on use

Restrictions on use Not available.

Not available.

Details of manufacturer or importer

Manufacturer

Bel-Ray Company, LLC

GPO Box 2650 Sydney, NSW 1171 PO Box 526 Farmingdale N.J. 07727

1 732-938-2421

CHEMTREC: 1800 069 100 (AUS)

**NSF** Food-grade lubricant. NSF H1 Registered Number 139751.

## 2. Hazard(s) identification

#### Classification of the hazardous chemical

Physical hazards Not classified.
Health hazards Not classified.

**Environmental hazards** Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

#### Label elements, including precautionary statements

Hazard symbol(s) None.
Signal word None.

**Hazard statement(s)** Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

PreventionAvoid release to the environment.ResponseWash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not

result in classification

None known.

**Supplemental information** None.

#### 3. Composition/information on ingredients

#### **Mixture**

The components are not hazardous or are below required disclosure limits.

#### 4. First-aid measures

# Description of necessary first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Material name: No-Tox Food Grade Waterproof Chain Lubricant SDS AUSTRALIA

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content

doesn't get into the lungs. Never give liquid to an unconscious person.

Personal protection for first-aid responders

Not available.

Symptoms caused by

Irritation of eyes and mucous membranes. Skin irritation.

exposure Medical attention and special

Provide general supportive measures and treat symptomatically.

treatment

#### 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire fighters

Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing

Fire fighting equipment/instructions Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Hazchem code

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders

Not available.

**Environmental precautions** 

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

Methods and materials for containment and cleaning up

This product is miscible in water.

must be worn in case of fire.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

#### 7. Handling and storage

Precautions for safe handling Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in

well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the

environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: No-Tox Food Grade Waterproof Chain Lubricant

## 8. Exposure controls and personal protection

**Control parameters** Follow standard monitoring procedures. No exposure limits noted for ingredient(s). Occupational exposure limits

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

#### 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. **Form** Liquid. Color Not available. Odor Not available. Not available. Odor threshold Not available.

Initial boiling point and

Melting point/freezing point

boiling range

рH

680 °F (360 °C) estimated

Flash point 420.8 °F (216.0 °C) Pensky-Martens Closed Cup

Not available.

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available. Not available.

**Explosive limit - upper** 

(%) Vapor pressure

0.00001 hPa estimated

Density 884.00 kg/m<sup>3</sup> Not available. Vapor density Not available. Relative density

Solubility(ies)

Solubility (water) Negligible Solubility (other)

Not available. Partition coefficient

(n-octanol/water)

**Auto-ignition temperature** Not available.

Material name: No-Tox Food Grade Waterproof Chain Lubricant 64060 Version #: 1.0 Revision date: 09-21-2016 Print date: 09-21-2016 **Decomposition temperature** Not available. **Viscosity** 466 cSt

Viscosity temperature 104 °F (40 °C) Other physical and chemical parameters

Flash point class Combustible IIIB

Percent volatile 0.06 % estimated

Specific gravity 0.88

### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

# 11. Toxicological information

#### Information on possible routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to

exposure

Irritation of eyes and mucous membranes. Skin irritation.

**Acute toxicity** Respiratory tract irritation.

Product Species Test Results

No-Tox Food Grade Waterproof Chain Lubricant

Acute Oral

LD50 Mouse 15000 g/kg estimated

Rabbit 15000 g/kg estimated

Other

LD50 Mouse 1000 g/kg estimated

**Skin corrosion/irritation**Based on available data, the classification criteria are not met. **Serious eye**Based on available data, the classification criteria are not met.

damage/irritation

#### Respiratory or skin sensitization

Respiratory sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

toxicity - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated

exposure

\_\_\_\_\_

**Aspiration hazard** Not an aspiration hazard.

Material name: No-Tox Food Grade Waterproof Chain Lubricant
64060 Version #: 1.0 Revision date: 09-21-2016 Print date: 09-21-2016

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Chronic effects** Prolonged inhalation may be harmful.

#### 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

**Mobility in soil** This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal methods**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and

its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

#### **ADG**

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78

and the IBC Code

## 15. Regulatory information

Safety, health and environmental regulations

**National regulations** 

International regulations

# **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

Material name: No-Tox Food Grade Waterproof Chain Lubricant
64060 Version #: 1.0 Revision date: 09-21-2016 Print date: 09-21-2016

Country(s) or region On inventory (yes/no)\* **Inventory name** 

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information

Issue date 09-21-2016 **Revision date** 09-21-2016

Disclaimer

Bel-Ray Company, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling. use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material name: No-Tox Food Grade Waterproof Chain Lubricant SDS AUSTRALIA

64060 Version #: 1.0 Revision date: 09-21-2016 Print date: 09-21-2016

6/6