Issue date: 04-19-2017 Revision date: 08-18-2017 Supersedes date: 04-19-2017 Version number: 2.0



# SAFETY DATA SHEET

#### 1. Identification

**Product identifier** Molylube Extreme Pressure High Viscosity Grease 460-2

**Product Code** 301681 **SDS number** 6803

Other means of identification

**Product Code** 301681

Recommended use of the chemical and restrictions on use

Recommended use Lubricant Restrictions on use Not available.

Details of manufacturer or importer

Manufacturer

Calumet Branded Products, LLC

GPO Darling Park Towers 2 201 Sussex St. Sydney AU NSW 2000 Australia

2780 Waterfront Pkwy E. Dr., Suite 200 Indianapolis, IN 46214

1 317 328 5660

CHEMTREC: 1800 069 100 (AUS)

#### 2. Hazard(s) identification

#### Classification of the hazardous chemical

Not classified. Physical hazards **Health hazards** Not classified. **Environmental hazards** Not classified.

#### Label elements, including precautionary statements

Hazard symbol(s) None. Signal word None.

Hazard statement(s) The mixture does not meet the criteria for classification.

Precautionary statement(s)

**Prevention** Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards which do not

result in classification

None known.

**Supplemental information** None

# 3. Composition/information on ingredients

The components are not hazardous or are below required disclosure limits.

#### 4. First-aid measures

#### Description of necessary first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Material name: Molylube Extreme Pressure High Viscosity Grease 460-2 SDS AUSTRALIA 301681 Version #: 2.0 Revision date: 08-18-2017 Print date: 08-18-2017

Personal protection for

first-aid responders

Not available.

Symptoms caused by

exposure

Irritation of eyes and mucous membranes. Skin irritation.

Medical attention and special

treatment

Treat symptomatically.

#### 5. Fire-fighting measures

**Extinguishing media** 

Suitable extinguishing

media

Water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear suitable protective equipment.

fighters

Hazchem code

None

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

# 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing. For personal protection, see section 8 of the SDS.

For emergency responders

Not available.

**Environmental precautions** 

Methods and materials for

containment and cleaning up

Prevent further leakage or spillage if safe to do so.

This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Following product recovery, flush area with

water.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

#### 7. Handling and storage

Precautions for safe handling

Conditions for safe storage,

including any incompatibilities Observe good industrial hygiene practices.

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls and personal protection

Follow standard monitoring procedures. **Control parameters** Occupational exposure limits No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** Occupational Exposure Limits are not relevant to the current physical form of the product.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure

limits have not been established, maintain airborne levels to an acceptable level.

# Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Material name: Molylube Extreme Pressure High Viscosity Grease 460-2 301681 Version #: 2.0 Revision date: 08-18-2017 Print date: 08-18-2017 Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Not available. Liquid. Paste. **Form** Color Not available. Odor Not available. Odor threshold Not available. Not available.

Initial boiling point and

Melting point/freezing point

boiling range

680 °F (360 °C) estimated

Flash point 503.6 °F (262.0 °C) Pensky-Martens Closed Cup (Base Oil)

Not available.

**Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

Not available.

**Explosive limit - upper** 

(%)Vapor pressure

0.00001 hPa estimated

Density 900.00 kg/m<sup>3</sup> Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) Negligible Solubility (other) Oil

Not available. Partition coefficient

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity** 460 cSt (Base Oil) Viscosity temperature 104 °F (40 °C)

Other physical and chemical parameters

**Dropping point** > 500 °F (> 260 °C) ASTM D2265

**Explosive properties** Not explosive. Flash point class Combustible IIIB Oxidizing properties Not oxidizing

Specific gravity 0.88

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Material name: Molylube Extreme Pressure High Viscosity Grease 460-2 301681 Version #: 2.0 Revision date: 08-18-2017 Print date: 08-18-2017 Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on possible routes of exposure

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to

exposure

Irritation of eyes and mucous membranes. Skin irritation.

**Acute toxicity** Not available.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Serious eye Direct contact with eyes may cause temporary irritation.

damage/irritation

# Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Due to lack of data the classification is not possible.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ

toxicity - single exposure

Not classified.

Specific target organ toxicity - repeated

exposure

Due to lack of data the classification is not possible.

**Aspiration hazard** Not an aspiration hazard.

# 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of this product.

Mobility in soil This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Disposal methods Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions)

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

#### **ADG**

Not regulated as dangerous goods.

Material name: Molylube Extreme Pressure High Viscosity Grease 460-2 301681 Version #: 2.0 Revision date: 08-18-2017 Print date: 08-18-2017

#### RID

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

# 15. Regulatory information

# Safety, health and environmental regulations

National regulations This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the

preparation of Safety Data Sheets for Hazardous Chemicals (23/12/2011).

#### International regulations

# International Inventories Country(s) or region

oodining (3) or region	inventory name	On inventory (yes/ no)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

#### 16. Other information

 Issue date
 04-19-2017

 Revision date
 08-18-2017

Disclaimer Calumet Branded Products, LLC cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

**Revision information** Product and Company Identification: Synonyms

Inventory name

Material name: Molylube Extreme Pressure High Viscosity Grease 460-2 301681 Version #: 2.0 Revision date: 08-18-2017 Print date: 08-18-2017 On inventory (yes/no)\*