#### Issue date: 12-09-2015 Revision date: 06-27-2018 Supersedes date: 08-24-2017 Version number: 4.0



# SAFETY DATA SHEET

1. Identification	
Product identifier	Bakerylube Oven Chain Lubricant Hot Chain
Product Code	300992
Other means of identification	
Synonyms	Old product Code 27000; For Package Codes 300992XXXXXX
Product Code	300992
Recommended use of the che	mical and restrictions on use
Recommended use	Chain lubricant
<b>Restrictions on use</b>	Not available.
Details of manufacturer or im	porter
Manufacturer	
	Calumet Branded Products, LLC
	GPO Darling Park Towers 2 201 Sussex St. Sydney AU NSW 2000 Australi
	2780 Waterfront Pkwy F. Dr., Suite 200 Indianapolis, IN, 46214

GPO Darling Park Towers 2 201 Sussex St. Sydney AU NSW 2000 Australia 2780 Waterfront Pkwy E. Dr., Suite 200 Indianapolis, IN 46214 1 317 328 5660 CHEMTREC: 1800 069 100 (AUS)

## 2. Hazard(s) identification

### Classification of the hazardous chemical

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.

#### Label elements, including precautionary statements

· 51	, , , , , , , , , , , , , , , , , , ,
Hazard symbol(s)	None.
Signal word	None.
Hazard statement(s)	Harmful to aquatic life.
Precautionary statement(	s)
Prevention	Avoid release to the environment.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards which do not result in classification	Combustible.
Supplemental information	% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment.

## 3. Composition/information on ingredients

Mixture			
Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients	
Synthetic Oils	Proprietary	70 - < 80	
Hydrotreated Light Distillates (petroleum)	64742-47-8	10 - < 20	
Other components below reportable levels		10 - < 20	

### 4. First-aid measures

### Description of necessary first aid measures

Description of necessary mist a		
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.	
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.	
Ingestion	Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.	
Personal protection for first-aid responders	Not available.	
Symptoms caused by exposure	Direct contact with eyes may cause temporary irritation.	
Medical attention and special treatment	Treat symptomatically.	
5. Fire-fighting measures	6	
Extinguishing media		
Suitable extinguishing media	Water fog. Alcohol resistant foam. Powder. Dry chemicals. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for fire fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear suitable protective equipment.	
Fire fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved.	
Hazchem code	None.	
General fire hazards	Combustible.	

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

# 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
For emergency responders	Not available.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
Methods and materials for containment and cleaning up	Use water spray to reduce vapors or divert vapor cloud drift. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

# 7. Handling and storage

7. Handling and storage			
Precautions for safe handling	Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.		
Conditions for safe storage, including any incompatibilities	Keep away from heat and sources of ign from incompatible materials (see Section		y closed container. Store away
8. Exposure controls and	personal protection		
Control parameters	Follow standard monitoring procedures.		
Occupational exposure limits ACGIH			
Components	Туре	Value	Form
Hydrotreated Light	TWA	200 mg/m3	As Total Hydrocarbon Vapor.
Distillates (petroleum) (CAS 64742-47-8)			
64742-47-8)	ndvisory OELs). Commission for the In rea (DFG) Type	vestigation of Health Ha Value	azards of Chemical Form
64742-47-8) Germany. DFG MAK List (a Compounds in the Work A Components Hydrotreated Light Distillates (petroleum) (CAS	rea (DFG)	•	Form
64742-47-8) Germany. DFG MAK List (a Compounds in the Work A Components Hydrotreated Light	rea (DFG) Type	Value	
64742-47-8) Germany. DFG MAK List (a Compounds in the Work A Components Hydrotreated Light Distillates (petroleum) (CAS 64742-47-8)	rea (DFG) Type	Value     5 mg/m3     350 mg/m3     50 ppm	Form Respirable aerosol fraction Vapor.
64742-47-8) Germany. DFG MAK List (a Compounds in the Work A Components Hydrotreated Light Distillates (petroleum) (CAS 64742-47-8) Biological limit values	rea (DFG) Type TWA	Value 5 mg/m3 350 mg/m3 50 ppm he ingredient(s).	Form Respirable aerosol fraction Vapor. Vapor.
64742-47-8) Germany. DFG MAK List (a Compounds in the Work A Components Hydrotreated Light Distillates (petroleum) (CAS 64742-47-8) Biological limit values Exposure guidelines Appropriate engineering	rea (DFG) Type TWA No biological exposure limits noted for th	Value   5 mg/m3   350 mg/m3   50 ppm   he ingredient(s).   evant to the current physical   r changes per hour) should luse process enclosures, local   e levels below recommended	Form Respirable aerosol fraction Vapor. Vapor. al form of the product. be used. Ventilation rates shou al exhaust ventilation, or other ed exposure limits. If exposure
64742-47-8) Germany. DFG MAK List (a Compounds in the Work A Components Hydrotreated Light Distillates (petroleum) (CAS 64742-47-8) Biological limit values Exposure guidelines Appropriate engineering controls	Type TWA No biological exposure limits noted for th Occupational Exposure Limits are not rele Good general ventilation (typically 10 air be matched to conditions. If applicable, or engineering controls to maintain airborne limits have not been established, maintai es, for example personal protective eq	Value   5 mg/m3   350 mg/m3   50 ppm   he ingredient(s).   evant to the current physical   r changes per hour) should l   use process enclosures, local   e levels below recommended   in airborne levels to an accompany   uipment (PPE)	Form Respirable aerosol fraction Vapor. Vapor. al form of the product. be used. Ventilation rates shou al exhaust ventilation, or other ed exposure limits. If exposure
64742-47-8) Germany. DFG MAK List (a Compounds in the Work A Components Hydrotreated Light Distillates (petroleum) (CAS 64742-47-8) Biological limit values Exposure guidelines Appropriate engineering controls	Type   TWA   No biological exposure limits noted for the Occupational Exposure Limits are not relification (typically 10 air be matched to conditions. If applicable, the engineering controls to maintain airborned limits have not been established, maintain airborned limits have not been established.	Value   5 mg/m3   350 mg/m3   50 ppm   he ingredient(s).   evant to the current physical   r changes per hour) should l   use process enclosures, local   e levels below recommended   in airborne levels to an accompany   uipment (PPE)	Form Respirable aerosol fraction Vapor. Vapor. al form of the product. be used. Ventilation rates shou al exhaust ventilation, or other ed exposure limits. If exposure
64742-47-8) Germany. DFG MAK List (a Compounds in the Work A Components Hydrotreated Light Distillates (petroleum) (CAS 64742-47-8) Biological limit values Exposure guidelines Appropriate engineering controls	Type TWA No biological exposure limits noted for th Occupational Exposure Limits are not rele Good general ventilation (typically 10 air be matched to conditions. If applicable, or engineering controls to maintain airborne limits have not been established, maintai es, for example personal protective eq	Value   5 mg/m3   350 mg/m3   50 ppm   he ingredient(s).   evant to the current physical   r changes per hour) should l   use process enclosures, local   e levels below recommended   in airborne levels to an accompany   uipment (PPE)	Form Respirable aerosol fraction Vapor. Vapor. al form of the product. be used. Ventilation rates shou al exhaust ventilation, or other ed exposure limits. If exposure

Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.
Other	Wear suitable protective clothing.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid. Paste.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	219.2 °F (104.0 °C) Pensky-Martens Closed Cup

remove contaminants.

Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or early a second s	xplosive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.02 hPa estimated
Density	1010.00 kg/m³
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Negligible
Solubility (other)	Oil
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	110 cSt
Viscosity temperature	104 °F (40 °C)
Other physical and chemical pa	arameters
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	1.01

# 10. Stability and reactivity

Reactivity	activity The product is stable and non-reactive under normal conditions of use, storage and trans	
Chemical stability	Material is stable under normal conditions.	
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	
Conditions to avoid	Contact with incompatible materials.	
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition products	Irritants. At thermal decomposition temperatures, carbon monoxide and carbon dioxide.	

# 11. Toxicological information

### Information on possible routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to exposure	Direct contact with eyes may cause temporary irritation.

Product	Species	Test Results
Bakerylube Oven Chain Luk	bricant Hot Chain	
<u>Acute</u>		
Dermal		
LD50	Rabbit	27 g/kg estimated
Oral		
LD50	Guinea pig	3.2 g/kg estimated
	Rabbit	4.2 g/kg estimated

Product	Species	Test Results	
	Rat	44 ml/kg estimated	
		7.5 g/kg estimated	
* Estimates for product may b	e based on additional component data not shown.		
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.		
Serious eye damage/irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization	on		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Due to lack of data the classification is not possible.		
Reproductive toxicity	This product is not expected to cause reproductive of	r developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Due to lack of data the classification is not possible.		
Aspiration hazard	Not an aspiration hazard.		

# 12. Ecological information

Ecotoxicity	Harmful to aquatic life.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	This product is miscible in water.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

Disposal methods	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

### ADG

Not regulated as dangerous goods.

# RID

Not regulated as dangerous goods.

# 

Not regulated as dangerous goods.

# IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

#### Safety, health and environmental regulations

National regulations

This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals (23/12/2011).

apply, see the regulation for relevance.

applies to all preparations in any concentration Exception may

1000 - 9999 TONNES See the regulation for additional information.

#### Australia Medicines & Poisons Schedule 5

Hydrotreated Light Distillates (petroleum) (CAS 64742-47-8)

#### High Volume Industrial Chemicals (HVIC)

Hydrotreated Light Distillates (petroleum) (CAS 64742-47-8)

#### International regulations

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information

Issue date	12-09-2015
Revision date	06-27-2018
Disclaimer	Calumet Branded Products, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available