Issue date: 09-07-2017 Revision date: 09-11-2018 Supersedes date: 09-07-2017

Version number: 2.0



# SAFETY DATA SHEET

## 1. Identification

Product identifier Biodegradable Rock Drill Oil 220

Product Code 301050 SDS number 6841

Other means of identification

Synonyms Old Product Code 58354; For Package Codes 301050XXXXXX

Product Code 301050

Recommended use of the chemical and restrictions on use

Recommended use Rock Drill
Restrictions on use Not available.

Details of manufacturer or importer

Calumet Branded Products, LLC

GPO Darling Park Towers 2 201 Sussex St. Sydney AU NSW 2000 Australia

2780 Waterfront Pkwy E. Dr., Suite 200 Indianapolis, IN 46214

1 317 328 5660

CHEMTREC: 1800 069 100 (AUS)

## 2. Hazard(s) identification

#### Classification of the hazardous chemical

Physical hazards Not classified. Health hazards Not classified.

**Environmental hazards** Hazardous to the aquatic environment, Category 3

long-term hazard

#### Label elements, including precautionary statements

Hazard symbol(s) None.
Signal word None.

**Hazard statement(s)** Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

**Prevention** Avoid release to the environment. **Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not

result in classification

None known.

**Supplemental information** 96.47% of the mixture consists of component(s) of unknown acute oral toxicity. 96.47% of the

mixture consists of component(s) of unknown acute dermal toxicity. 96.47% of the mixture consists of component(s) of unknown acute inhalation toxicity. 96.47% of the mixture consists of

component(s) of unknown acute hazards to the aquatic environment.

## 3. Composition/information on ingredients

Material name: Biodegradable Rock Drill Oil 220

#### Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Canola Oil	120962-03-0	70 - < 80

301050 Version #: 2.0 Revision date: 09-11-2018 Print date: 09-11-2018

SDS AUSTRALIA

Distillates (petroleum), Hydrotreated Light Paraffinic 64742-55-8 5 - < 10

Other components below reportable levels

10 - < 20

#### 4. First-aid measures

## Description of necessary first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Treat symptomatically.

Personal protection for first-aid responders

Not available.

Symptoms caused by

exposure

Direct contact with eyes may cause temporary irritation.

Medical attention and special

treatment

# 5. Fire-fighting measures

**Extinguishing media** 

Suitable extinguishing

media

Water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire

fighters

zamig me, gaese nazaraetae te meanin maj se termear

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear suitable protective equipment.

Hazchem code None.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders

Not available.

**Environmental precautions** 

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up

This product is miscible in water. Prevent entry into waterways, sewer, basements or confinec areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

## 7. Handling and storage

Precautions for safe handling

Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Material name: Biodegradable Rock Drill Oil 220

SDS AUSTRALIA

Conditions for safe storage, including any

incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

## 8. Exposure controls and personal protection

**Control parameters** Follow standard monitoring procedures.

Occupational exposure limits

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components Value **Type** TWA 5 mg/m3

Distillates (petroleum), Hydrotreated Light

Paraffinic (CAS 64742-55-8)

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational

**Environment)** 

Type Components Value **Form** Distillates (petroleum), TWA 5 mg/m3 Mist

**Hydrotreated Light** Paraffinic (CAS 64742-55-8)

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical

Compounds in the Work Area (DFG)

Components **Form Type** Value Distillates (petroleum), TWA 5 mg/m3 Respirable fraction. **Hvdrotreated Light** 

Paraffinic (CAS 64742-55-8)

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

**Physical state** Liquid. **Form** Liquid. Color Not available.

Odor Not available **Odor threshold** Not available. Not available. pН Melting point/freezing point Not available. Initial boiling point and

boiling range

Not available.

Flash point > 356.0 °F (> 180.0 °C) Pensky-Martens Closed Cup

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

301050 Version #: 2.0 Revision date: 09-11-2018 Print date: 09-11-2018

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

**Vapor pressure** 0.000004 hPa estimated

Density922.00 kg/m³Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Negligible
Solubility (other) Oil

Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** 500 °F (260 °C) estimated

**Decomposition temperature** Not available.

Viscosity 309.1 cSt ASTM D445

Viscosity temperature 104 °F (40 °C)

Other physical and chemical parameters

Explosive properties

Oxidizing properties

Not explosive.

Not oxidizing.

Percent volatile

Specific gravity

VOC

Not oxidizing.

0.92

0.92

VOC

< 0.1 %

10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition

products

May include oxides of phosphorus. At thermal decomposition temperatures, carbon monoxide and

carbon dioxide.

11. Toxicological information

Information on possible routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to

exposure

Direct contact with eyes may cause temporary irritation.

Acute toxicity Not known.

**Skin corrosion/irritation**Based on available data, the classification criteria are not met. **Serious eye**Direct contact with eyes may cause temporary irritation.

damage/irritation

Material name: Biodegradable Rock Drill Oil 220

SDS AUSTRALIA

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** Not applicable.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Due to lack of data the classification is not possible.

**ACGIH Carcinogens** 

Distillates (petroleum), Hydrotreated Light Paraffinic (CAS A4 Not classifiable as a human carcinogen.

64742-55-8)

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Due to lack of data the classification is not possible.

**Aspiration hazard** Not an aspiration hazard.

12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Product Species Test Results

Biodegradable Rock Drill Oil 220

**Aquatic** 

Crustacea EC50 Daphnia 576 mg/l, 48 hours estimated

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

**Mobility in soil** This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal methods**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and

its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

**ADG** 

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78

and the IBC Code

## 15. Regulatory information

## Safety, health and environmental regulations

Material name: Biodegradable Rock Drill Oil 220 SDS AUSTRALIA

**National regulations** 

This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals (23/12/2011).

# International regulations

## **International Inventories** Country(a) or region

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

## 16. Other information

Issue date 09-07-2017 **Revision date** 09-11-2018

Disclaimer Calumet Branded Products, LLC cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.

301050 Version #: 2.0 Revision date: 09-11-2018 Print date: 09-11-2018

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).