Issue date: 02-26-2016 Revision date: 10-06-2017 Supersedes date: 06-14-2016 Version number: 4.0



SAFETY DATA SHEET

1. Identification

Product identifier Termalene Extreme Pressure Grease LC 2

Product Code 301329 SDS number 7064

Other means of identification

Synonyms Old Product Code 70320; For Package Codes 301329XXXXXX

Product Code 301329

Recommended use of the chemical and restrictions on use

Recommended use Lubricating Grease **Restrictions on use** Not available.

Details of manufacturer or importer

Manufacturer

Calumet Branded Products, LLC

GPO Darling Park Towers 2 201 Sussex St. Sydney AU NSW 2000 Australia

2780 Waterfront Pkwy E. Dr., Suite 200 Indianapolis, IN 46214

1 317 328 5660

CHEMTREC: 1800 069 100 (AUS)

2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements, including precautionary statements

Hazard symbol(s) None.
Signal word None.

Hazard statement(s) The mixture does not meet the criteria for classification.

Precautionary statement(s)

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards which do not

result in classification

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Distillates (petroleum), Hydrotreated Heavy Naphthenic	64742-52-5	80 - < 90
ZINC ALKYL DITHIOPHOSPHATE	68649-42-3	1 - < 3
Other components below reportable levels		10 - < 20

Material name: Termalene Extreme Pressure Grease LC 2

301329 Version #: 4.0 Revision date: 10-06-2017 Print date: 10-06-2017

4. First-aid measures

Description of necessary first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Personal protection for first-aid responders

Not available.

Symptoms caused by

Irritation of eyes and mucous membranes. Skin irritation.

exposure

Medical attention and special

treatment

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

Water fog.

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear suitable protective equipment.

fighters

Hazchem code

None.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing. For personal protection, see section 8 of the SDS.

For emergency

responders

Not available.

Environmental precautions

Methods and materials for containment and cleaning up Avoid discharge into drains, water courses or onto the ground.

Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Precautions for safe handling

Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls and personal protection

Control parameters Follow standard monitoring procedures.

Occupational exposure limits

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A) Components Value Type

Distillates (petroleum), **Hydrotreated Heavy** Naphthenic (CAS 64742-52-5)

TWA

5 mg/m3

Material name: Termalene Extreme Pressure Grease LC 2 301329 Version #: 4.0 Revision date: 10-06-2017 Print date: 10-06-2017

SDS AUSTRALIA

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

ComponentsTypeValueFormDistillates (petroleum),
Hydrotreated HeavyTWA5 mg/m3Mist.

Naphthenic (CAS 64742-52-5)

ACGIH

ComponentsTypeValueFormDistillates (petroleum),
Hydrotreated HeavyTWA5 mg/m3Inhalable Fraction.

Naphthenic (CAS 64742-52-5)

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical

Compounds in the Work Area (DFG)

ComponentsTypeValueFormZINC ALKYLTWA2 mg/m3Inhalable fraction.DITHIOPHOSPHATE (CAS
68649-42-3)0.1 mg/m3Respirable fraction.

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Exposure guidelines Occupational Exposure Limits are not relevant to the current physical form of the product.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure

limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

9. Physical and chemical properties

Appearance

Physical state
Form
Color
Not available.

Odor
Not available.

Odor threshold
Not available.

Not available.

Not available.

Not available.

Melting point/freezing point
Not available.

Initial boiling point and

boiling range

680 °F (360 °C) estimated

bonning range

Flash point 302.0 °F (150.0 °C) estimated

Evaporation rate Not available.
Flammability (solid, gas) Not available.

Material name: Termalene Extreme Pressure Grease LC 2
301329 Version #: 4.0 Revision date: 10-06-2017 Print date: 10-06-2017

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -Not available.

upper (%)

Explosive limit - lower

(%)

Explosive limit - upper Not available.

(%)

Vapor pressure Not available.

1.00 g/cm3 estimated Density

Not available.

Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

500 °F (260 °C) estimated **Auto-ignition temperature**

Decomposition temperature Not available. Viscosity Not available. Other physical and chemical parameters

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

Specific gravity

VOC 0.1 % estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

11. Toxicological information

Information on possible routes of exposure

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to

exposure

Irritation of eyes and mucous membranes. Skin irritation.

Acute toxicity Not available.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Serious eye Based on available data, the classification criteria are not met.

damage/irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Material name: Termalene Extreme Pressure Grease LC 2

Carcinogenicity Due to lack of data the classification is not possible.

ACGIH Carcinogens

Distillates (petroleum), Hydrotreated Heavy Naphthenic A4 Not classifiable as a human carcinogen.

MINERAL OIL, EXCLUDING METAL WORKING FLUIDS, PURE, HIGHLY AND SEVERELY REFINED, INHALABLE

FRACTION (CAS 64742-52-5)

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

Not classified.

Specific target organ

toxicity - repeated

toxicity - repeated exposure

Due to lack of data the classification is not possible.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available for this product.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal methodsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

ADG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

Safety, health and environmental regulations

National regulations This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the

preparation of Safety Data Sheets for Hazardous Chemicals (23/12/2011).

Australia Medicines & Poisons Schedule 4

ZINC ALKYL DITHIOPHOSPHATE (CAS 68649-42-3) for human internal use Exception may apply, see the regulation for

relevance.

Australia National Pollutant Inventory (NPI): Threshold quantity

ZINC ALKYL DITHIOPHOSPHATE (CAS 68649-42-3) 10 TONNES/YR Threshold Category: 1

International regulations

Material name: Termalene Extreme Pressure Grease LC 2 SDS AUSTRALIA

International Inventories

country(s) or region	inventory name	On inventory (yes/110)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

 Issue date
 02-26-2016

 Revision date
 10-06-2017

DisclaimerCalumet Branded Products, LLC cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

Revision information Product and Company Identification: Bel Ray Custom Labels

Physical & Chemical Properties: Multiple Properties

GHS: Classification

Inventory name

301329 Version #: 4.0 Revision date: 10-06-2017 Print date: 10-06-2017

On inventory (yes/no)*