



SAFETY DATA SHEET

1. Identification

Product identifier Termalene Multipurpose Extreme Pressure Grease 0

Product Code 301337

Other means of identification

Synonyms Old Product Code 72400; For Package Codes 301337XXXXXX

Product Code 301337

Recommended use of the chemical and restrictions on use

Recommended use Lubricant

Restrictions on use Not available.

Details of manufacturer or importer

Calumet Branded Products, LLC
GPO Darling Park Towers 2 201 Sussex St. Sydney AU NSW 2000 Australia
2780 Waterfront Pkwy E. Dr., Suite 200 Indianapolis, IN 46214
1 317 328 5660
CHEMTREC: 1800 069 100 (AUS)

2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Hazardous to the aquatic environment, long-term hazard Category 3

Label elements, including precautionary statements

Hazard symbol(s) None.

Signal word None.

Hazard statement(s) Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

Prevention Avoid release to the environment.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification None known.

Supplemental information 98.37% of the mixture consists of component(s) of unknown acute dermal toxicity. 86.77% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment.

3. Composition/information on ingredients

Mixture

| Identity of chemical ingredients | CAS number and other unique identifiers | Concentration of ingredients |
|--------------------------------------------------------|-----------------------------------------|------------------------------|
| Distillates (petroleum), Hydrotreated Heavy Naphthenic | 64742-52-5 | 0 - < 100 |
| Distillates (petroleum), Hydrotreated Heavy Paraffinic | 64742-54-7 | 0 - < 100 |
| Residual Oils (petroleum), Solvent-refined | 64742-01-4 | 0 - < 100 |
| White Mineral Oil (petroleum) | 8042-47-5 | 0 - < 100 |

| | | |
|-----------------------------------------------------------|------------|-----------|
| Distillates (petroleum), Solvent-dewaxed Heavy Paraffinic | 64742-65-0 | 10 - < 20 |
| Aluminum, (benzoato-o,o)hydroxy(octadecanoato-o,o)- | 54326-11-3 | 5 - < 10 |
| PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY | 64742-70-7 | 5 - < 10 |
| Antimony Tris[o,o-dipropyl] Tris(dithiophosphate) | 15874-48-3 | 1 - < 3 |
| Other components below reportable levels | | 1 - < 3 |

4. First-aid measures

Description of necessary first aid measures

| | |
|-----------------------------------------------------|------------------------------------------------------------------------------------------|
| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. |
| Skin contact | Wash off with soap and water. Get medical attention if irritation develops and persists. |
| Eye contact | Rinse with water. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. Get medical attention if symptoms occur. |
| Personal protection for first-aid responders | Not available. |
| Symptoms caused by exposure | Irritation of eyes and mucous membranes. Skin irritation. |
| Medical attention and special treatment | Treat symptomatically. |

5. Fire-fighting measures

Extinguishing media

| | |
|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media | Water fog. |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for fire fighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear suitable protective equipment. |
| Hazchem code | None. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| | |
|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| For non-emergency personnel | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| For emergency responders | Not available. |
| Environmental precautions | Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. |
| Methods and materials for containment and cleaning up | This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. |

7. Handling and storage

| | |
|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Precautions for safe handling | Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. |
| Conditions for safe storage, including any incompatibilities | Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). |

8. Exposure controls and personal protection

Control parameters Follow standard monitoring procedures.

Occupational exposure limits

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

| Components | Type | Value |
|----------------------------------------------------------------------------|------|-----------------------|
| Antimony Tris[o,o-dipropyl] Tris(dithiophosphate) (CAS 15874-48-3) | TWA | 0.5 mg/m ³ |
| Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5) | TWA | 5 mg/m ³ |
| Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7) | TWA | 5 mg/m ³ |
| Distillates (petroleum), Solvent-dewaxed Heavy Paraffinic (CAS 64742-65-0) | TWA | 5 mg/m ³ |
| PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY (CAS 64742-70-7) | TWA | 5 mg/m ³ |
| White Mineral Oil (petroleum) (CAS 8042-47-5) | TWA | 5 mg/m ³ |

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

| Components | Type | Value | Form |
|----------------------------------------------------------------------------|------|-----------------------|-------|
| Antimony Tris[o,o-dipropyl] Tris(dithiophosphate) (CAS 15874-48-3) | TWA | 0.5 mg/m ³ | |
| Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5) | TWA | 5 mg/m ³ | Mist. |
| Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7) | TWA | 5 mg/m ³ | Mist. |
| Distillates (petroleum), Solvent-dewaxed Heavy Paraffinic (CAS 64742-65-0) | TWA | 5 mg/m ³ | Mist. |
| PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY (CAS 64742-70-7) | TWA | 5 mg/m ³ | Mist. |
| Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4) | TWA | 5 mg/m ³ | Mist. |
| White Mineral Oil (petroleum) (CAS 8042-47-5) | TWA | 5 mg/m ³ | Mist. |

ACGIH

| Components | Type | Value | Form |
|-------------------------------------------------------------------------|------|---------------------|---------------------|
| Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5) | TWA | 5 mg/m ³ | Inhalable Fraction. |

US. ACGIH Threshold Limit Values Components

| Components | Type | Value | Form |
|------------------------------------------------------------------------|------|-----------|----------------------|
| Aluminum, (benzoato-o,o)hydroxy(octadecanoato-o,o)- (CAS 54326-11-3) | TWA | 1 mg/m3 | Respirable fraction. |
| Antimony Tris[o,o-dipropyl] Tris(dithiophosphate) (CAS 15874-48-3) | TWA | 0.5 mg/m3 | |
| PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY (CAS 64742-70-7) | TWA | 5 mg/m3 | Inhalable fraction. |
| White Mineral Oil (petroleum) (CAS 8042-47-5) | TWA | 5 mg/m3 | Inhalable fraction. |

UK. EH40 Workplace Exposure Limits (WELs) Components

| Components | Type | Value |
|--------------------------------------------------------------------|------|-----------|
| Antimony Tris[o,o-dipropyl] Tris(dithiophosphate) (CAS 15874-48-3) | TWA | 0.5 mg/m3 |

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

| Components | Type | Value | Form |
|----------------------------------------------------------------------------|------|---------|----------------------|
| Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5) | TWA | 5 mg/m3 | Respirable fraction. |
| Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7) | TWA | 5 mg/m3 | Respirable fraction. |
| Distillates (petroleum), Solvent-dewaxed Heavy Paraffinic (CAS 64742-65-0) | TWA | 5 mg/m3 | Respirable fraction. |
| PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY (CAS 64742-70-7) | TWA | 5 mg/m3 | Respirable fraction. |
| Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4) | TWA | 5 mg/m3 | Respirable fraction. |
| White Mineral Oil (petroleum) (CAS 8042-47-5) | TWA | 5 mg/m3 | Respirable fraction. |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Occupational Exposure Limits are not relevant to the current physical form of the product.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear appropriate chemical resistant gloves.

Other

Wear suitable protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Not available.
Form Liquid. Paste.
Color Not available.

Odor Not available.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling range 680 °F (360 °C) estimated (Base Oil)

Flash point 417.2 °F (214.0 °C) Pensky-Martens Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Density 851.00 kg/m³

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Negligible

Solubility (other) Oil

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature 500 °F (260 °C) estimated (Base Oil)

Decomposition temperature Not available.

Viscosity 180 cSt (Base Oil)

Viscosity temperature 104 °F (40 °C)

Other physical and chemical parameters

Dropping point 480.2 °F (249 °C)

Explosive properties Not explosive.

Flash point class Combustible IIIB

Oxidizing properties Not oxidizing.

Percent volatile 0.03 % estimated

Specific gravity 0.85

VOC 0.03 % estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

| | |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

Information on possible routes of exposure

| | |
|---------------------|----------------------------------------------------------|
| Inhalation | No adverse effects due to inhalation are expected. |
| Skin contact | No adverse effects due to skin contact are expected. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Ingestion | Expected to be a low ingestion hazard. |

Symptoms related to exposure Irritation of eyes and mucous membranes. Skin irritation.

Acute toxicity Not known.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

| | |
|----------------------------------|-----------------------------------------------------------|
| Respiratory sensitization | Not a respiratory sensitizer. |
| Skin sensitization | This product is not expected to cause skin sensitization. |

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Due to lack of data the classification is not possible.

ACGIH Carcinogens

| | |
|-------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| Aluminum, (benzoato-o,o)hydroxy(octadecanoato-o,o)- (CAS 54326-11-3) | A4 Not classifiable as a human carcinogen. |
| Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5) | A4 Not classifiable as a human carcinogen. |
| Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7) | A4 Not classifiable as a human carcinogen. |
| Distillates (petroleum), Solvent-dewaxed Heavy Paraffinic (CAS 64742-65-0) | A4 Not classifiable as a human carcinogen. |
| PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY (CAS 64742-70-7) | A2 Suspected human carcinogen. |
| Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4) | A4 Not classifiable as a human carcinogen. A2 Suspected human carcinogen. |
| White Mineral Oil (petroleum) (CAS 8042-47-5) | A4 Not classifiable as a human carcinogen. |

IARC Monographs. Overall Evaluation of Carcinogenicity

| | |
|-----------------------------------------------|-----------------------------------------------------|
| White Mineral Oil (petroleum) (CAS 8042-47-5) | 3 Not classifiable as to carcinogenicity to humans. |
|-----------------------------------------------|-----------------------------------------------------|

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Due to lack of data the classification is not possible.

Aspiration hazard Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Mobility in soil This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal methods Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

ADG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

Safety, health and environmental regulations

National regulations This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals (23/12/2011).

Australia Medicines & Poisons Appendix E

Antimony Tris[o,o-dipropyl] Tris(dithiophosphate) (CAS 15874-48-3)
White Mineral Oil (petroleum) (CAS 8042-47-5)

Australia Medicines & Poisons Appendix G

Antimony Tris[o,o-dipropyl] Tris(dithiophosphate) (CAS 15874-48-3)

Australia Medicines & Poisons Appendix I

Antimony Tris[o,o-dipropyl] Tris(dithiophosphate) (CAS 15874-48-3)

Australia Medicines & Poisons Schedule 4

Antimony Tris[o,o-dipropyl] Tris(dithiophosphate) (CAS 15874-48-3)

Australia Medicines & Poisons Schedule 5

White Mineral Oil (petroleum) (CAS 8042-47-5)

Australia Medicines & Poisons Schedule 6

Antimony Tris[o,o-dipropyl] Tris(dithiophosphate) (CAS 15874-48-3)

Australia National Pollutant Inventory (NPI): Threshold quantity

Antimony Tris[o,o-dipropyl] Tris(dithiophosphate) (CAS 15874-48-3) 10 TONNES/YR Threshold Category: 1

High Volume Industrial Chemicals (HVIC)

| | | |
|----------------------------------------------------------------------------|----------------------|------------------------------------------------|
| Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7) | 1000 - 9999 TONNES | See the regulation for additional information. |
| Distillates (petroleum), Solvent-dewaxed Heavy Paraffinic (CAS 64742-65-0) | 10000 - 99999 TONNES | See the regulation for additional information. |
| White Mineral Oil (petroleum) (CAS 8042-47-5) | 1000 - 9999 TONNES | See the regulation for additional information. |

International regulations

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|------------------------------------------------------------------------|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | No |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 10-23-2015

Revision date 09-20-2018

Disclaimer Calumet Branded Products, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.