Issue date: 06-23-2016 Revision date: 05-30-2019 Supersedes date: 09-12-2017 Version number: 5.0



# SAFETY DATA SHEET

# 1. Identification

Product identifier	No-Tox Food Grade Air Line Lubricant
Product Code	301564
Other means of identification	
Synonyms	Old Product Code 62050; For Package Codes 301564XXXXXX
Product Code	301564
Recommended use of the cher	nical and restrictions on use
Recommended use	Lubricant
<b>Restrictions on use</b>	Not available.
Details of manufacturer or imp	oorter
	Calumet Branded Products, LLC
	GPO Darling Park Towers 2 201 Sussex St. Sydney AU NSW 2000 Australia
	2780 Waterfront Pkwy E. Dr., Suite 200 Indianapolis, IN 46214
	1 317 328 5660
	CHEMTREC: 1800 069 100 (AUS)

#### NSF

Food-grade lubricant. NSF H1 Registered Number 126371.

### 2. Hazard(s) identification

#### Classification of the hazardous chemical

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.

#### Label elements, including precautionary statements

Hazard symbol(s)	None.
Signal word	None.
Hazard statement(s)	Harmful to aquatic life.
Precautionary statement(	s)
Prevention	Avoid release to the environment.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards which do not result in classification	Combustible.
Supplemental information	% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment.

## 3. Composition/information on ingredients

Mixture		
Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
White Mineral Oil (petroleum)	8042-47-5	>95
Other components below reportable levels		<5%

# 4. First-aid measures

#### Description of necessary first aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Personal protection for first-aid responders	Not available.
Symptoms caused by exposure	Irritation of eyes and mucous membranes. Skin irritation.
Medical attention and special treatment	Treat symptomatically.
5. Fire-fighting measures	5
Extinguishing modia	

Extinguishing media	
Suitable extinguishing media	Water fog. Foam. Dry chemicals. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for fire fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear suitable protective equipment.
Fire fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
Hazchem code	None.
General fire hazards	Combustible.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

# 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.
For emergency responders	Not available.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
Methods and materials for containment and cleaning up	Prevent entry into waterways, sewer, basements or confined areas.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
7. Handling and storage	
Precautions for safe handling	Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep away from heat and sources of ignition. Store in original tightly closed container.

# 8. Exposure controls and personal protection

Follow standard monitoring procedures.

#### Occupational exposure limits

**Control parameters** 

Components	Туре	Value	
White Mineral Oil (petroleum) (CAS 8042-47-5)	TWA	5 mg/m3	
Environment)	d National Exposure Standards for A		
Components	Туре	Value	Form
White Mineral Oil (petroleum) (CAS 8042-47-5)	TWA	5 mg/m3	Mist.
US. ACGIH Threshold Lim	nit Values		
Components	Туре	Value	Form
White Mineral Oil (petroleum) (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.
Germany. DFG MAK List (	(advisory OELs). Commission for the	Investigation of Health H	azards of Chemical
Compounds in the Work			
Components	Туре	Value	Form
components	JI	Value	
White Mineral Oil (petroleum) (CAS 8042-47-5)	TWA	5 mg/m3	Respirable fraction.
White Mineral Oil (petroleum) (CAS		5 mg/m3	
White Mineral Oil (petroleum) (CAS 8042-47-5)	TWA	5 mg/m3 r the ingredient(s). air changes per hour) should le, use process enclosures, lo prne levels below recommend	Respirable fraction. be used. Ventilation rates sho cal exhaust ventilation, or othe ed exposure limits. If exposure
White Mineral Oil (petroleum) (CAS 8042-47-5) blogical limit values propriate engineering ntrols	TWA No biological exposure limits noted fo Good general ventilation (typically 10 be matched to conditions. If applicab engineering controls to maintain airbo	5 mg/m3 r the ingredient(s). air changes per hour) should le, use process enclosures, lo orne levels below recommend ntain airborne levels to an acc	Respirable fraction. be used. Ventilation rates sho cal exhaust ventilation, or othe ed exposure limits. If exposure
White Mineral Oil (petroleum) (CAS 8042-47-5) blogical limit values propriate engineering ntrols	TWA No biological exposure limits noted for Good general ventilation (typically 10 be matched to conditions. If applicab engineering controls to maintain airbo limits have not been established, mai	5 mg/m3 r the ingredient(s). air changes per hour) should le, use process enclosures, lo orne levels below recommend ntain airborne levels to an acc equipment (PPE)	Respirable fraction. be used. Ventilation rates sho cal exhaust ventilation, or othe ed exposure limits. If exposure
White Mineral Oil (petroleum) (CAS 8042-47-5) blogical limit values propriate engineering ntrols dividual protection measur Eye/face protection	TWA No biological exposure limits noted for Good general ventilation (typically 10 be matched to conditions. If applicab engineering controls to maintain airbo limits have not been established, mai res, for example personal protective	5 mg/m3 r the ingredient(s). air changes per hour) should le, use process enclosures, lo orne levels below recommend ntain airborne levels to an acc equipment (PPE)	Respirable fraction. be used. Ventilation rates sho cal exhaust ventilation, or othe ed exposure limits. If exposure
White Mineral Oil (petroleum) (CAS 8042-47-5) blogical limit values propriate engineering ntrols	TWA No biological exposure limits noted for Good general ventilation (typically 10 be matched to conditions. If applicab engineering controls to maintain airbo limits have not been established, mai res, for example personal protective	5 mg/m3 r the ingredient(s). air changes per hour) should le, use process enclosures, lo prne levels below recommend ntain airborne levels to an acc <b>equipment (PPE)</b> (or goggles).	Respirable fraction. be used. Ventilation rates sho cal exhaust ventilation, or othe ed exposure limits. If exposure ceptable level.
White Mineral Oil (petroleum) (CAS 8042-47-5) blogical limit values propriate engineering ntrols dividual protection measur Eye/face protection Skin protection	TWA No biological exposure limits noted for Good general ventilation (typically 10 be matched to conditions. If applicab engineering controls to maintain airbo limits have not been established, mai res, for example personal protective Wear safety glasses with side shields Wear appropriate chemical resistant g	5 mg/m3 r the ingredient(s). air changes per hour) should le, use process enclosures, lo prne levels below recommend ntain airborne levels to an acc <b>equipment (PPE)</b> (or goggles).	Respirable fraction. be used. Ventilation rates sho cal exhaust ventilation, or othe ed exposure limits. If exposure ceptable level.
White Mineral Oil (petroleum) (CAS 8042-47-5) blogical limit values propriate engineering ntrols dividual protection measur Eye/face protection Skin protection Hand protection	TWA No biological exposure limits noted for Good general ventilation (typically 10 be matched to conditions. If applicab engineering controls to maintain airbo limits have not been established, mai <b>res, for example personal protective</b> Wear safety glasses with side shields Wear appropriate chemical resistant of supplier.	5 mg/m3 r the ingredient(s). air changes per hour) should le, use process enclosures, lo orne levels below recommend ntain airborne levels to an acc <b>equipment (PPE)</b> (or goggles). gloves. Suitable gloves can be	Respirable fraction. be used. Ventilation rates sho cal exhaust ventilation, or othe ed exposure limits. If exposure ceptable level.
White Mineral Oil (petroleum) (CAS 8042-47-5) blogical limit values propriate engineering ntrols dividual protection measur Eye/face protection Skin protection Hand protection Other	TWA No biological exposure limits noted for Good general ventilation (typically 10 be matched to conditions. If applicab engineering controls to maintain airbo limits have not been established, mai <b>res, for example personal protective</b> Wear safety glasses with side shields Wear appropriate chemical resistant of supplier. Wear suitable protective clothing.	5 mg/m3 r the ingredient(s). air changes per hour) should le, use process enclosures, lo orne levels below recommend ntain airborne levels to an acc <b>equipment (PPE)</b> (or goggles). gloves. Suitable gloves can be	Respirable fraction. be used. Ventilation rates sho cal exhaust ventilation, or othe ed exposure limits. If exposure ceptable level.

### 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	680 °F (360 °C) estimated

Flash point	275.0 °F (135.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated
Density	860.00 kg/m³
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	500 °F (260 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other physical and chemical pa	arameters
Explosive properties	Not explosive.
Flash point class	Combustible IIIB
Kinematic viscosity	22 cSt
Kinematic viscosity temp	104 °F (40 °C)
Oxidizing properties	Not oxidizing.
Percent volatile	0.01 % estimated
Specific gravity	0.86
VOC	0.01 % estimated
10. Stability and reactivi	ty
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

# 11. Toxicological information

# Information on possible routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to exposure	Irritation of eyes and mucous membranes. Skin irritation.
Acute toxicity	Not available.

Desident	Consider		
Product	Species	Test Results	
No-Tox Food Grade Air Line Lubric	ant		
<u>Acute</u>			
<b>Oral</b> LD50	Mausa	15000 alka estimated	
LD30	Mouse	15000 g/kg estimated	
	Rabbit	15000 g/kg estimated	
* Estimates for product may b	e based on additional comp	onent data not shown.	
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.		
Serious eye damage/irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization	on		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	Not applicable.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Due to lack of data the classification is not possible.		
ACGIH Carcinogens			
White Mineral Oil (petrole IARC Monographs. Overall		A4 Not classifiable as a human carcinogen. nicity	
White Mineral Oil (petrole	eum) (CAS 8042-47-5) 3 Not classifiable as to carcinogenicity to humans.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Due to lack of data the classification is not possible.		
Aspiration hazard	Not an aspiration hazard.		
12. Ecological information	n		
Ecotoxicity	Harmful to aquatic life.		

Ecotoxicity	Harmful to aquatic life. Species Test Results			
Product			Test Results	
No-Tox Food Grade Air Lin	e Lubricant			
Aquatic				
Crustacea	EC50	Daphnia	460.4414 mg/l, 48 hours estimated	
Fish	LC50	Fish	44400 mg/l, 96 hours estimated	

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential		
Mobility in soil	No data available for this product.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

# 13. Disposal considerations

Disposal methods	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

#### Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### 14. Transport information

#### ADG

Not regulated as dangerous goods.

#### RID

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

# 15. Regulatory information

#### Safety, health and environmental regulations

National regulations

This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals (23/12/2011).

1000 - 9999 TONNES See the regulation for additional information.

#### Australia Medicines & Poisons Appendix E

White Mineral Oil (petroleum) (CAS 8042-47-5)

### Australia Medicines & Poisons Schedule 5

White Mineral Oil (petroleum) (CAS 8042-47-5)

### High Volume Industrial Chemicals (HVIC)

White Mineral Oil (petroleum) (CAS 8042-47-5)

#### International regulations

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information

Issue date	06-23-2016
Revision date	05-30-2019
Disclaimer	Calumet Branded Products, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

### **Revision information**

Composition / Information on Ingredients: Ingredients Other information: Information on evaluation method GHS: Classification